




The magic life in the image world

E-IMAGE

PRO HEAVY DUTY TRIPODS

Rigidity, Stability, Big Payload



▶ 100mm Bowl Size

▶ 150mm Bowl Size

▶ Mitchell Base



PRO HEAVY DUTY TRIPODS

This pro heavy duty tripod is extremely steady and stable, which is specially designed for full studio, video and big film cameas. Aavailable with 100mm,150mm or standard mitchell plate. One-stage aluminum alloy structure and die-cast process provides max. payload up to 180kg. Adjustable metal ground midder is included, make the working height lower.



Packing (Hard case)


Features




Max.Payload 188kg
Supports up to 188 kg of photographic equipment.




Metal Main Body
All metal main body,super sturdy.




Super Locking Structure
The ergonomic design allows for quick height adjustments.



Aluminium
High quality aluminium,very sturdy.



CNC Steel Spike foot
Reinforce the connection by special screw gluewater. It can be attached to ground spreader steadily.



Adjustable Ground Spreader
Adjustable ground spreader with foot locking/ release button.

100mm Bowl Size



100mm Bowl Size

Compatible with all professional 100mm half-ball video heads.



FILM100M




FILM100L

Specifications

| | |
|----------------------------|--------------------------------------|
| Model: FILM100M | Height range: 240-845mm / 9.4-33.3in |
| Payload: 188kg / 414.5lbs | Transport length: 620mm / 24.4in |
| Net Weight: 11kg / 24.3lbs | Min.Radius: 410mm / 16.1in |
| Bowl Size: 100mm | Max.Radius: 630mm / 24.8in |
| Sections: 2 | Material: Aluminum |

| | |
|----------------------------|--|
| Model: FILM100L | Height range: 880-1692mm / 34.6-66.6in |
| Payload: 188kg / 414.5lbs | Transport length: 1030mm / 40.6in |
| Net Weight: 13kg / 28.7lbs | Min.Radius: 410mm / 16.1in |
| Bowl Size: 100mm | Max.Radius: 630mm / 24.8in |
| Sections: 2 | Material: Aluminum |

150mm Bowl Size



150mm Bowl Size

Compatible with all professional 150mm half-ball video heads.



FILM150M



FILM150L

Specifications

| | |
|----------------------------|--------------------------------------|
| Model: FILM150M | Height range: 240-845mm / 9.4-33.3in |
| Payload: 188kg / 414.5lbs | Transport length: 620mm / 24.4in |
| Net Weight: 11kg / 24.3lbs | Min.Radius: 410mm / 16.1in |
| Bowl Size: 150mm | Max.Radius: 630mm / 24.8in |
| Sections: 2 | Material: Aluminum |

| | |
|----------------------------|--|
| Model: FILM150L | Height range: 880-1692mm / 34.6-66.6in |
| Payload: 188kg / 414.5lbs | Transport length: 1030mm / 40.6in |
| Net Weight: 14kg / 24.3lbs | Min.Radius: 410mm / 16.1in |
| Bowl Size: 150mm | Max.Radius: 630mm / 24.8in |
| Sections: 2 | Material: Aluminum |

Mitchell Base



Mitchell Base

Compatible with all professional flat base video heads.



FILM150M-MT



FILM150L-MT

Specifications

| | |
|----------------------------|--------------------------------------|
| Model: FILM150M-MT | Height range: 240-845mm / 9.4-33.3in |
| Payload: 188kg / 414.5lbs | Transport length: 620mm / 24.4in |
| Net Weight: 11kg / 24.3lbs | Min.Radius: 410mm / 16.1in |
| Bowl Size: Mitchell Base | Max.Radius: 630mm / 24.8in |
| Sections: 2 | Material: Aluminum |

| | |
|----------------------------|--|
| Model: FILM150L-MT | Height range: 880-1692mm / 34.6-66.6in |
| Payload: 188kg / 414.5lbs | Transport length: 1030mm / 40.6in |
| Net Weight: 14kg / 24.3lbs | Min.Radius: 410mm / 16.1in |
| Bowl Size: Mitchell Base | Max.Radius: 630mm / 24.8in |
| Sections: 2 | Material: Aluminum |