

SUPPORT YOUR IMAGE

Contact Information

NINGBO EIMAGE STUDIO EQUIPMENT CO., LTD

Address: No.1230 South Cihai Rd,Luotuo Industry zone, Zhenhai,
Ningbo, China. 315202

Tel:86-574-86590061,86-574-86590031

Fax:86-574-86590078

E-mail: sales@eimagevideo.com

Visit www.eimagevideo.com for more information



E-IMAGE Official QR Code



The magic life in the image world

E-IMAGE



2022-23
GRIPS & STANDS

www.eimagevideo.com

KEY TO SYMBOLS


-  Minimum Height
-  Maximum Height
-  Transport Length
-  Center Tube Size
- LEG** Leg Tube Size
-  Net Weight
-  Payload Range
-  Spigot Size
-  Spigot Size
-  Socket Size
-  Footprint Diameter
-  Arm Length
-  Material



E-IMAGE
www.eimagevideo.com

Contents


1-4	C-Stand Kits
5	C-Stand
6	Wheels & Arms
7	Baby Stands
8-9	Combo Stands
10	Overhead Stands
11	Wind Up Stand
12	Roller Stands
13-14	Boom Stand Kits
15	Boom arms
16-20	Light Stands
21-22	Flag Panels
23-24	Butterfly Frames
25	Combo Stand & C-stand Mini Cart
26	Autopoles
27	Screws & Adapters
28-30	Adapters & Wall plates
31	Coupler Clamps
32-33	Clamps
34	Accessories & Forks
35	Stands & Arms
36	Multiple Mount Stands




Detachable Base.




Ergonomic "T" shaped handles.



Extended riser
to lock more tightly.



1/4" and 3/8" stud
at the end of arm.




Ergonomic "T" shaped handles.




Stronger riser
to lock more tightly.




1/4" and 3/8" stud
at the end of arm.



Non-slip high density
foam cover.



LCS-03



LCS-02




LCS-01



LCS-04



LCS-05



LCS-06

	137.2cm/54"
	288.6cm/113.6"
	137.2cm/54"
	25,30,35mm
LEG	25mm
	8.2kg/18lb
	20kg/44lb
	5/8"
	96cm/37.8"
	117cm/46.1"

	111.8cm/44"
	212.4cm/83.6"
	111.8cm/44"
	25,30,35mm
LEG	25mm
	7.6kg/16.7lb
	20kg/44lb
	5/8"
	96cm/37.8"
	117cm/46.1"

	86.4cm/34"
	136.2cm/53.6"
	86.4cm/34"
	25,30,35mm
LEG	25mm
	7kg/15.4lb
	20kg/44lb
	5/8"
	96cm/37.8"
	117cm/46.1"

	145cm/57.1"
	290cm/114.2"
	145cm/57.1"
	25,30,35mm
LEG	30mm
	7.6kg / 16.7lb
	20kg/44lb
	5/8"
	108cm/42.5"
	127cm/50"

	145cm/57.1"
	328cm/129.1"
	145cm/57.1"
	25,30,35mm
LEG	30mm
	8.1kg/17.8lb
	10kg/22lb
	5/8"
	108cm/42.5"
	120cm/47.2"


	145cm/57.1"
	328cm/129.1"
	145cm/57.1"
	25,30,35mm
LEG	30mm
	8.1kg/17.8lb
	10kg/22lb
	5/8"
	108cm/42.5"
	120cm/47.2"




Pull up the locking ring, turn anticlockwise to set up the base quickly.



Detachable Base for easy transportation.



Ergonomic "T" shaped handles.



New design riser to lock more tightly.



1/4" and 3/8" stud at the end of arm.



LCS-F40

LCS-F30

LCS-F20


	139cm/54.7"
	329cm/129.5"
	139cm/54.7"
	25,30,35mm
LEG	30mm
	9kg/19.8lb
	10kg/22lb
	5/8"
	104cm/40.9"
	120cm/47.2"

	117cm/46.1"
	230cm/90.6"
	117cm/46.1"
	25,30,35mm
LEG	30mm
	7.2kg / 15.8lb
	12kg/26.4lb
	5/8"
	104cm / 40.9"
	100cm/39.4"

	97cm/38.2"
	166cm/65.4"
	97cm/38.2"
	25,30,35mm
LEG	30mm
	5.9kg/13lb
	15kg/33lb
	5/8"
	104cm/40.9"
	50cm/19.7"



Sliding leg for uneven surfaces or stairs.



Fixed grip head.



Stronger riser to lock more tightly.



Non-slip high density foam cover.



LCS-S20

LCS-S30

LCS-S40

	97cm/38.2"
	166cm/65.4"
	97cm/38.2"
	25,30,35mm
LEG	30mm
	6.6kg/14.5lb
	15kg/33lb
	5/8"
	108cm/42.5"
	50cm/19.7"

	117cm/46.1"
	230cm/90.6"
	117cm/46.1"
	25,30,35mm
LEG	30mm
	7.7kg/16.9lb
	12kg/26.4lb
	5/8"
	108cm/42.5"
	100cm/39.4"


	146cm/57.5"
	290cm/114.2"
	146cm/57.5"
	25,30,35mm
LEG	30mm
	8.3kg/18.3lb
	10kg/22lb
	5/8"
	108cm/42.5"
	100cm/39.4"



Sliding leg
for uneven surfaces or stairs.



Stronger riser
to lock more tightly.



5/8" Stud.



Non-slip high density
foam cover.



LCS-S20SD

	97cm/38.2"
	166cm/65.4"
	97cm/38.2"
	25,30,35mm
LEG	30mm
	5.4kg/11.9lb
	15kg/33lb
	5/8"
	108cm/42.5"

LCS-S30SD

	117cm/46.1"
	230cm/90.6"
	117cm/46.1"
	25,30,35mm
LEG	30mm
	6kg/13.2lb
	12kg/26.4lb
	5/8"
	108cm/42.5"

LCS-S40SD

	146cm/57.5"
	290cm/114.2"
	146cm/57.5"
	25,30,35mm
LEG	30mm
	7kg/15.4lb
	10kg/22lb
	5/8"
	108cm/42.5"



CS25-W

Φ25mm Locking Wheel Set

	2.2kg/4.8lb
FOR STANDS	LCS-01/02/03



CS30-W

Φ30mm Locking Wheel Set

	2.3kg/5.1lb
FOR STANDS	LCS-04/05/06 LCS-F20/F30/F40 LCS-S20/S30/S40 LCS-S20SD/S30SD/S40SD



HS03-W

25*25mm Locking Wheel Set

	3kg/6.6lb
FOR STANDS	HS02 PLUS/HS03/HS05 HCS20/HCS35/HCS45 9109A PLUS 9109B PLUS 9109C PLUS LBS-17

* For HS03, there is extra operation needed.



Press down the pedal
to lock the wheel.




Lift up the pedal
to unlock the wheel.



Press down the pedal
to lock the wheel.



Lift up the pedal
to unlock the wheel.



20ARM

20" Extension Arm
Silver

1.19

30ARM

30" Extension Arm
Silver

1.23

40ARM

40" Extension Arm
Silver

1.26

Fixed grip head.



Top head with 1-1/8" receiver, 5/8" stud.



Sturdy riser with T-shaped handle.



Portable handle.



Sturdy riser with T-shaped handle.



Center column can be againsted the ground, to increase the stability.




Adjustable leg.




Top head with 1-1/8" receiver, 5/8" stud.



Sturdy riser with T-shaped handle.



Center column can be againsted the ground, to increase the stability.



One extendable leg.



LS-B17

	93.5cm/36.8"
	167cm/65.7"
	93cm/36.6"
	35,40,45mm
LEG	25x25mm
	8.8kg/19.4lb
	40kg/88lb
	5/8"
	1-1/8"
	106cm/41.7"



LS-B40

	138.8cm/54.6"
	413cm/162.6"
	120cm/47.2"
	20,25,30,35mm
LEG	20x20mm
	4.85kg/10.7lb
	8kg/17.6lb
	5/8"
	127.4cm/50.2"



9109A PLUS

	156.5cm/61.6"
	468cm/184.3"
	156.5cm/61.6"
	30,34,40,45mm
LEG	25x25mm
	16.8kg/37lb
	40kg/88lbs
	5/8"
	1-1/8"
	160cm/63"

9109B PLUS

	141.5cm/55.7"
	345cm/135.8"
	141.5cm/55.7"
	35,40,45mm
LEG	25x25mm
	15.4kg/34lb
	40kg/88lbs
	5/8"
	1-1/8"
	160cm/63"

9109C PLUS


	140cm/55.1"
	310cm/122"
	140cm/55.1"
	30,35,40mm
LEG	25x25mm
	8kg/17.6lb
	15kg/33lb
	5/8"
	1-1/8"
	124cm/48.8"




Top head with 1-1/8" receiver, 5/8" stud.



Sturdy riser with T-shaped handle.



Center column can be againsted the ground, to increase the stability.




One extendable leg.




Overhead with 5/8" Stud.



Sturdy riser with T-shaped handle.



Center column can be againsted the ground, to increase the stability.




One extendable leg.



HS01

	130cm/51.2"
	340cm/133.9"
	135cm/53.1"
	30,35,40mm
LEG	22mm
	8.8kg/19.4lb
	15kg/33lb
	5/8"
	1-1/8"
	138cm/54.3"



HS02 PLUS

	107cm/42.1"
	210cm/82.7"
	107cm/42.1"
	30,35,40mm
LEG	25x25mm
	6.3kg/13.8lb
	15kg/33lb
	5/8"
	1-1/8"
	100cm/39.4"



HE58



Locking Wheels.

	190cm/74.8"
	580cm/228.3"
	190cm/74.8"
	30,35,40,45mm
LEG	25x25mm
	18.9kg/41.6lb
	20kg/44lb
	5/8"
	1-1/8"
	160cm/63"



HE65

	195cm/76.8"
	630cm/248"
	215cm/84.6"
	35,40,45,50mm
LEG	30x30mm
	28kg/61.6lb
	20kg/44lb
	5/8"
	1-1/8"
	204cm/80.3"



HS03

	142cm/55.9"
	426cm/167.7"
	147cm/57.9"
	30,35,40,45mm
LEG	25x25mm
	13kg/28.6lb
	20kg/44lb
	5/8"
	1-1/8"
	140cm/55.1"



HS05

	158cm/62.2"
	405cm/159.4"
	147cm/57.9"
	30,35,40,45mm
LEG	25x25mm
	12.58kg/27.7lb
	40kg/88lb
	5/8"
	1-1/8"
	158cm/62.2"



WS-36

📏	176cm/69.3"
👤	362cm/142.5"
📏	199cm/78.3"
🔧	40,50,60mm
LEG	30x30mm
🔒	39.1kg/86lb
⬇️	50kg/110lb
📏	154cm/60.6"



WS-56

📏	186cm/73.2"
👤	565cm/222.4"
📏	213cm/83.9"
🔧	50,60,70,80,90mm
LEG	30x30mm
🔒	82kg/180.4lb
⬇️	65kg/143lb
📏	220cm/86.6"



Skid-proof foot pedal.



Z-Type structure.




One extendable leg for uneven terrain.



Self-locking for safety.



Removable universal wheels.



Center column rise up from top to bottom.



The crank handle with switch can control the center column up or down.



Fold-Up Base.




Locking Wheels.



Ergonomic knob use comfortably and lock quickly.



Stable and sturdy base.



RS-860

📏	131cm/51.6"
👤	220cm/86.6"
📏	121cm/47.6"
🔧	30,35mm
LEG	20x40mm
🔒	7kg/15.4lb
⬇️	10kg/22lb
📏	110cm/43"
🔒	5/8"
📏	1-1/8"



RS-870

📏	107cm/42.1"
👤	258cm/101.6"
📏	97cm/38.2"
🔧	25,30,35mm
LEG	20x40mm
🔒	5.63kg/12.4lb
⬇️	8kg/17.6lb
📏	89cm/35"
🔒	5/8"



RS-875

📏	111cm/43.7"
👤	340cm/133.9"
📏	100cm/39.4"
🔧	20,25,30,35mm
LEG	20x40mm
🔒	6kg/13.2lb
⬇️	8kg/17.6lb
📏	89cm/35"
🔒	5/8"



RS-880

📏	110cm/43.3"
👤	270cm/106.3"
📏	110cm/43.3"
🔧	25,30,35mm
LEG	20x20mm
🔒	5.1kg/11.2lb
⬇️	10kg/22lb
📏	100cm/39.4"
🔒	5/8"



5/8" Stud.



Stronger riser with handle.



Center column can be againsted the ground.



Locking Wheels.



Remains Standing While Folded



HSB30

	136cm/53.5"
	492cm/193.7"
	119cm/46.9"
	20,25,30,35,40mm
LEG	25mm
	4.3kg/9.5lb
	4kg/8.8lb
	124cm/48.8"
	1/4" & 3/8"
	280cm/110.2"



HSB80

	168cm/66.1"
	532cm/209.4"
	172cm/67.7"
	25,30,35,40,45mm
LEG	25x25mm
	22.1kg/48.6lb
	10kg/22lb
	144cm/56.7"
	5/8"
	1-1/8"
	240cm/94.5"



HSB100

	115cm/45.3"
	226cm/89"
	150cm/59.1"
	30,35,40,45mm
LEG	25x25mm
	22.4kg/49.4lb
	5kg/11lb
	134cm/52.8"
	1/4" & 3/8"
	260cm/102.4"



HSB200

	130cm/51.2"
	300cm/118.1"
	150cm/59.1"
	30,35,40,45mm
LEG	25x25mm
	26kg/57.3lb
	5kg/11lb
	150cm/59.1"
	1/4" & 3/8"
	260cm/102.4"



HSB300

	200cm/78.7"
	395cm/155.5"
	224cm/88.2"
	40,50,60mm
LEG	30x30mm
	55kg/121.3lb
	30kg/66.1lb
	200cm/78.7"
	370cm/145.7"



📏	105cm/41.3"
📏	192cm/75.6"
📏	105cm/41.3"
🔧	20,25mm
🔒	1.72kg/3.8lb
⬇️	2kg/4.4lb
🔩	1/4" & 3/8"

📏	77cm/30.3"
📏	206cm/81.1"
📏	77cm/30.3"
🔧	19,22.4,26mm
🔒	1.8kg/4lb
⬇️	2kg/4.4lb
🔩	1/4" & 3/8"

📏	121cm/47.6"
📏	220cm/86.6"
📏	121cm/47.6"
🔧	25,30mm
🔒	3.22kg/7.1lb
⬇️	5kg/11lb
🔩	5/8"




📏	121cm/47.6"
📏	220cm/86.6"
📏	121cm/47.6"
🔧	25,30mm
🔒	3.22kg/7.1lb
⬇️	5kg/11lb
🔩	5/8"

📏	122cm/48"
📏	217cm/85.4"
📏	122cm/48"
🔧	25,30mm
🔒	3.18kg/7lb
⬇️	5kg/11lb
🔩	5/8"

📏	96cm/37.8"
📏	231cm/90.9"
📏	96cm/37.8"
🔧	25,30,35mm
🔒	3.6kg/7.9lb
⬇️	5kg/11lb
🔩	5/8"


📏	124.5cm/49"
📏	210cm/82.7"
📏	124.5cm/49"
🔧	30,35mm
🔒	4.16kg/9.2lb
⬇️	5kg/11lb
🔩	5/8"
🔩	1-1/8"



Center column can be againsted the ground, to increase the stability.



Metal knob use comfortably and lock quickly.



Air cushioning prevents damage to fingers and equipment.



Strong connection joint.



LS-PRO60

📏	122cm/48"
📏	283cm/111.4"
📏	105cm/41.3"
🔧	25,30,35mm
LEG	22mm
🔒	2.62kg/5.8lb
⬇️	8kg/17.6lb
🔩	Aluminum
🔩	1/4" & 3/8"
🔩	124cm/48.8"

LS-PRO62

📏	126cm/49.6"
📏	365cm/143.7"
📏	107.5cm/42.3"
🔧	25,30,35,40mm
LEG	25mm
🔒	3.26kg/7.2lb
⬇️	<3m 10kg >3m 4kg
🔩	Aluminum
🔩	1/4" & 3/8"
🔩	124cm/48.8"


LS-PRO64

📏	126cm/49.6"
📏	365cm/143.7"
📏	107.5cm/42.3"
🔧	25,30,35,40mm
LEG	25mm
🔒	3.26kg/7.2lb
⬇️	<3m 10kg >3m 4kg
🔩	Aluminum
🔩	5/8"
🔩	124cm/48.8"

* For light stand, please always be very careful when extend it to higher height.



Standard with a 1/4" male to 3/8" male adapter for more shooting request.



Ergonomic knob use comfortably and lock quickly.



Air cushioning prevents damage to fingers and equipment.



Strong connection joint.




LS-PRO30

	122cm/48"
	300cm/118.1"
	104cm/40.9"
	25,30,35mm
LEG	22mm
	2.44kg/5.4lb
	6kg/13.2lb
	Aluminum
	1/4" & 3/8"
	128cm/50.4in




LS-PRO30A

	122cm/48"
	300cm/118.1"
	104cm/40.9"
	25,30,35mm
LEG	22mm
	2.56kg/5.6lb
	6kg/13.2lb
	Aluminum
	1/4" & 3/8"
	128cm/50.4in



Adjustable leg.



Center column can be againsted the ground, to increase the stability.



Metal knob use comfortably and lock quickly.



Air cushioning prevents damage to fingers and equipment.



Strong connection joint.




LS-PRO50

	120cm/47.2"
	284cm/111.8"
	106cm/41.7"
	25,30,35mm
LEG	22mm
	2.5kg/5.5lb
	8kg/17.6lb
	Aluminum
	1/4" & 3/8"
	124cm/48.8in



LS-PRO50A

	120cm/47.2"
	284cm/111.8"
	106cm/41.7"
	25,30,35mm
LEG	22mm
	2.62kg/5.8lb
	8kg/17.6lb
	Aluminum
	1/4" & 3/8"
	124cm/48.8in



Adjustable leg.



LS-PRO32

	140cm/55.1"
	320cm/126"
	119cm/46.9"
	25,30,35mm
LEG	22mm
	2.38kg/5.2lb
	6kg/13.2lb
	Aluminum
	1/4" & 3/8"
	128cm/50.4in



LS-PRO38

	123cm/48.4"
	380cm/149.6"
	104cm/40.9"
	20,25,30,35mm
LEG	22mm
	2.55kg/5.6lb
	<3m 6kg >3m 4kg
	Aluminum
	1/4" & 3/8"
	128cm/50.4in



LS-PRO58

	130cm/51.2"
	380cm/149.6"
	115cm/45.3"
	20,25,30,35mm
LEG	22mm
	3.28kg/7.2lb
	<3m 8kg >3m 4kg
	Aluminum
	1/4" & 3/8"
	124cm/48.8in



LS-PRO59

	130cm/51.2"
	396cm/155.9"
	114cm/44.9"
	20,25,30,35mm
LEG	22mm
	2.84kg/6.2lb
	<3m 8kg >3m 4kg
	Aluminum
	1/4" & 3/8"
	124cm/48.8in



Extendable leg.



Strong connection joint.



Ergonomic knob
use comfortably and lock quickly.



Reverse folding leg design.



Strong connection joint.



Ergonomic knob
use comfortably and lock quickly.



High quality
aluminum material.



Rncircling riser lock more tightly.



LS01

	73cm/28.7"
	220cm/86.6"
	49cm/19.3"
	14, 17, 20, 22, 26mm
LEG	20, 16mm
	1.3kg/2.8lb
	3kg/6.6lb
	Aluminum
	1/4"
	110cm/43.3"



LS01L

	76cm/29.9"
	270cm/106.3"
	76cm/29.9"
	19, 22.4, 26, 29.5mm
LEG	22, 19mm
	2.1kg/4.6lb
	3kg/6.6lb
	Aluminum
	1/4" & 3/8"
	150cm/59.1"



LS03

	89cm/35"
	260cm/102.4"
	88cm/34.6"
	22, 25, 30mm
LEG	22, 19mm
	2kg/4.4lb
	5kg/11lb
	Aluminum
	1/4"
	124cm/48.8"




LS01S

	50.5cm/19.9"
	218cm/85.8"
	50.5cm/19.9"
	13, 16, 19, 22, 25mm
LEG	6x15mm
	1.2kg/2.6lb
	2.5kg/5.5lb
	Aluminum
	1/4"
	98cm/38.6"



LS02

	60cm/23.6"
	216cm/85"
	60cm/23.6"
	19, 22.4, 26, 29.5mm
LEG	11x14mm
	1.6kg/3.5lb
	3kg/6.6lb
	Aluminum
	1/4" & 3/8"
	100cm/39.4"



LS04

	74cm/29.1"
	240cm/94.5"
	74cm/29.1"
	16, 19, 22.4, 26mm
LEG	11x14mm
	1.8kg/4.0lb
	4kg/8.8lb
	Aluminum
	1/4"
	80cm/31.5"




F01-18 18" (45x60cm)

F01-24 24" (60x76cm)

F01-30 30" (76x91cm)

Fabric: gold/silver/black/white




F02-18 18" (45x60cm)

F02-24 24" (60x76cm)

F02-30 30" (76x91cm)

Fabric: gold/silver/black/white



F03-36 24*36" (60x90cm)

F03-48 48*48" (120x120cm)



F06-36 30*36" (70x90cm)

F06-48 48*48" (120x120cm)

Fabric: Soft



F04-36 28*36" (70x90cm)

F04-48 48*48" (120x120cm)

Fabric: Soft

F05-36 28*36" (70x90cm)

F05-48 48*48" (120x120cm)

Soft, gold, silver, black, white based on customer need




F07-36 28*36" (70x90cm)

F07-39 31*39" (80x100cm)

Fabric: Soft

gold, silver, black, white based on customer need





* Stands are not included.

Model	ED-100	ED-200
Frame size	240x240cm/94.5x94.5"	360x360cm/141.7x141.7"
Tube Dim.	20x20mm	25x25mm
Transport Dim.	26x11x143cm	29x16x160cm
Net Weight	13.8kg/30.4lb	18.5kg/40.7lb

Fabric:Soft



Model	ED-210
Frame size	360x360cm/141.7x141.7"
Tube Dim.	50x50mm
Transport Dim.	3 Packages
Net Weight	90kg/198lb

Fabric:Soft
Custom made is available



* Stands are not included.



* Stands are not included.



Model	EE-50	EE-100	EE-200
Frame size	180x180cm/70.9x70.9"	240x240cm/94.5x94.5"	360x360cm/141.7x141.7"
Tube Dim.	25x25mm	25x25mm	25x25mm
Transport Dim.	16x16x130cm	26x11x143cm	29x16x160cm
Net Weight	9.1kg/20lb	12.1kg/26.6lb	16.8kg/37lb

Fabric:Soft

Model	EF-50	EF-100	EF-200
Frame size	180x180cm/70.9x70.9"	240x240cm/94.5x94.5"	360x360cm/141.7x141.7"
Tube Dim.	25x25mm	25x25mm	25x25mm
Transport Dim.	16x16x130cm	26x11x143cm	29x16x160cm
Net Weight	9.1kg/20lb	12.1kg/26.6lb	16.8kg/37lb

Fabric:Soft





DT-100

SIZE	123x71x124cm/48.4x28x48.8"
⚖️	78kg/171.6lb
⬇️	200kg/440lb
FOR STANDS	HS01/HS02 PLUS/HS03/HS05 HCS20/HCS35/HCS45 9109A PLUS 9109B PLUS 9109C PLUS LBS-17




Suitable for Combo Stands which length is less than 120cm, can carry 24PCS Combo stands at most.



DT-200

SIZE	93x58x157cm/36.6x22.8x61.8"
⚖️	47.8kg/105.2lb
⬇️	200kg/440lb
FOR STANDS	LCS-01/02/03/04/05/06 LCS-F20/LCS-F30/LCS-F40 LCS-S20/S30/S40 LCS-S20SD/S30SD/S40SD



Suitable for all size C-stand, can carry 20PCS C-STAND at most.



SP1350

⊕	95cm/37.4"
⊖	135cm/53.1"
⊙	40,45mm
SECTION	2
⚖️	1.86kg/4.1lb
⬇️	15kg/33.1lb



SP2480

⊕	152cm/59.4"
⊖	248cm/97.6"
⊙	40,45mm
SECTION	2
⚖️	2.4kg/5.3lb
⬇️	15kg/33.1lb






SP3800

⊕	220cm/86.6"
⊖	380cm/149.6"
⊙	40,45mm
SECTION	2
⚖️	3.1kg/6.8lb
⬇️	15kg/33.1lb



SP4200

⊕	240cm/94.5"
⊖	420cm/165.4"
⊙	40,45mm
SECTION	2
⚖️	3.5kg/7.7lb
⬇️	15kg/33.1lb





S-001

1/4" D-Ring camera screw



S-002

3/8" D-Ring camera screw



S-003

1/4" camera fixing screw



S-004

3/8" camera fixing screw



S-005

1/4" to 3/8" screw adapter



S-006

1/4" to 1/4" double stud screw adapter



S-007

1/4" to 3/8" Converter Screw



S-008

1/4" to 3/8" double stud



S-009

1/4" male to 3/8" female Screw Adapter



S-010

3/8" male to 1/4" female Screw Adapter



S-011

1/4"-20 & 3/8"-16 Male Threads L:78mm

0.08



S-012

1/4"-20 & 3/8"-16 Female Threads

0.02



S-013

1/4"-20 & 3/8"-16 Male Threads

0.03



S-014

1/4"-20 & 3/8"-16 Male Threads

0.03



S-015

1/4"-20 Male Threads Hex Stud

0.06



S-016

3/8"-16 Male Threads Hex Stud

0.06



S-017

1/4"-20 & 3/8"-16 Female Threads Hex

0.02



S-018

1/4"-20 & 3/8"-16 Male Threads Hex

0.03



S-019

1/4" screw to hot shoe adapter



S-020

1/4" screw to hot shoe adapter



S-021

3/8" screw to hot shoe adapter



S-022

1/4"-20 & 3/8"-16 Male Threads L: 68mm

0.07



S-023

1/4"-20 & 3/8"-16 Male Threads L: 78mm

0.08



S-024

1/4"-20 & 3/8"-16 Female Threads

0.02



S-025

1/4"-20 & 3/8"-16 Male Threads

0.03



S-026

1/4"-20 & 3/8"-16 Female Threads

0.02



S-027

1/4"-20 Male Thread Brass

0.07



S-028

3/8"-16 Male Thread Brass

0.07



S-029

5/8" Pin & 5/8" Hex Stud Aluminum L: 85mm

0.04



S-030

5/8" Pin & 5/8" Hex Stud Aluminum L: 120mm

0.06



S-031

Double Hex Head Pin Aluminum L: 50mm

0.02



S-032

Double Hex Head Pin Aluminum L: 150mm

0.08



S-033

1/4"-20 Male Threads & 5/8" Pin L: 105mm

0.13



S-034

1/4" Female Thread & 5/8" Pin

0.02



S-035

5/8" Pin L: 170mm

0.08



S-036

1-1/8" & 5/8" Junior to Baby Pin

0.55



S-037

1-1/8" Male Stud

0.58



S-038

1/4"-20 & 3/8"-16 Male Threads Brass

0.02



S-039

1/4"-20 & 1/4"-20 Male Threads Brass

0.02



S-040

3/8"-16 Male Threads Brass

0.08



S-041

1/4"-20 Male & 5/8" Pin Brass

0.04



S-042

1/4"-20 Female Thread &
5/8" Male Baby Pin
Aluminum L: 90mm
0.02



S-043

5/8" Baby Pin
Iron L: 145mm
0.16



S-044

5/8" Stud
Iron L: 125mm
0.16



EI-A61

1-1/8" and 5/8" Junior
to Baby Pin
Iron L: 190mm
0.62



S-046

3/8"-16 Female Thread &
5/8" Male Pin
0.09



S-047

1/4"-20 Male Thread &
5/8" Baby Pin
0.12



EI-A64

5/8" Baby Swivel with
Wall Plate
0.96



EI-A64A

Heavy Duty Swivel Adapter
5/8" Pin and 5/8" Receiver
0.76



EI-A65

9" Baby Pin Wall Plate
0.68



EI-A65L

6" Baby Pin Wall Plate
0.56



EI-A65M

Cheater Wall Plate
0.46



EI-A65S

3" Baby Pin Wall Plate
0.46



EI-A66

8" Right Angle Baby Plate
0.68



WP-001

5/8" Baby Pin Wall Plate
L: 60mm
0.36



WP-005

Scissor Mount for Drop
Ceiling 5/8" Pin
0.12



MT-001

Twin 5/8" Female
L: 65mm
0.08



MT-002

Twin 5/8" Female
L: 65mm
0.08



MT-003

5/8" Female to 11/16" Female
L: 78mm
0.10



MT-004

5/8" Female to 11/16" Female
L: 78mm
0.10



MT-005

5/8" Receiver and
3/8" Stud
0.12



MT-018

Male 3/8" thread with
5/8" socket
0.09



MT-019

Male 3/8" thread with
5/8" socket
0.10



MT-008

5/8" Baby Socket to 1
1/8" Junior Stud
0.30



MT-009

Baby Drop Pin 5/8" Pin
& 5/8" Receiver
0.32



MT-010

5/8" Receiver to
5/8" Pin
0.07



MT-011

Double Ball Joint
Adapter
0.35



MT-012

Swivel Umbrella Adapter
Umbrella
Receptacle 7/8mm
0.37



MT-013

Swivel Umbrella Adapter
Umbrella
Receptacle 7/8mm
0.32



MT-014

Swivel Umbrella Adapter
Umbrella
Receptacle 7/8mm
0.36



MT-015

Umbrella Bracket with
Adjustable Shoe
0.36



MT-016

Shoe Mount Umbrella
Adapter
0.18



MT-017

Double Ball Joint Adapter
1/4"-20 Female & 3/8"-16
Female Thread 5/8" Pin
0.50




EI-A60

Double Ball Joint Adapter 5/8"
Receiver & 1 1/8" Male Stud
0.76



MT-020

Umbrella Bracket with
Adjustable Shoe
0.25



MT-021

Grip head
2.22

Coupler Clamps



Clamps



Clamps



C-001

Adjustable Gaffer Clamp
5/8" Pin & 5/8" Receiver
Max: Φ25-65mm

0.72



C-002

Pelican Gaffer Grip
5/8" Pin 42/64" Stud
Max: Φ15-80mm

1.08



C-003

Swiveling Pipe Clamp
Max: Φ28-78mm

1.86



C-004

Pipe Clamp 5/8"
Max: Φ16-65mm

0.84



C-004S

G shape clamp
Pin: 1-1/8" (12.5mm)

0.41



E11-096

Pipe Clamp 1/2-13
Max: Φ16-65mm

0.9



C-005

Pipe Clamp 5/8"
Max: Φ16-65mm

0.92



C-006

Pipe Clamp
Max: Φ10-60mm

0.54



C-007

Clamp with Baby Pin 5/8" Pin &
1/4"-20 Female Max: Φ55mm

0.14



C-008

4" A Clamp

0.08



C-009

6" A Clamp

0.18



C-010

9" A Clamp


0.42



C-011

Foam Core Clamp

0.44



C-012

Pipe Clamp 5/8"
Max: Φ20-320mm

3.95



C-013

C Clamp with Junior Reciever
Max: Φ20-320mm

4.50



C-014

Adjustable C Clamp with
Junior Reciever
Max: Φ20-770mm

6.20

Accessories & Forks



S-048

Safety Cable
18" x 1.5mm



S-049

Safety Cable
32" x 1.5mm



S-050

Safety Cable
32" x 3.0mm



S-051

Safety Cable
41" x 5.0mm



S-052

400*450mm Laptop Tray

1.70



S-053

Laptop Tray

1.20



S-054

Sand Bag

0.22



S-055

Sand Bag

0.08



S-056

Sand Bag

0.26



F-001

Foamcore Fork
Male 1/4" & 3/8" Thread

0.17



F-002

Foamcore Fork
Male 1/4" & 3/8" Thread

0.35



F-003

Foamcore Fork Stand
Male 1/4" & 3/8" Thread


0.35



F-004

Foamcore Fork with
5/8" & 15cm stud

0.38



F-005

Foamcore Fork with
5/8" & 15cm stud

0.66



MS-010

Photo Flag Arm

800mm 640mm 0.88



MS-011

Swing Wall Mount Set

1400mm 400mm



AM-005

C Stand Boom 1/4"-20 Male
& 3/8 Male Threads
L:120cm

0.86



AM-006

6" Extension Arm with Spigot
5/8" Receiver 1/4"-20 Male
& 3/8"-16 Male Threads

0.18



EI-A63

Offset Arm

0.42



AM-008

Offset Arm

0.72



AM-009

3 Section Articulated Arm 5/8" Stud
with 1/4"-20 Female Thread & 5/8"
Stud with 3/8"-16 Female Thread

0.52



AM-010

2 Section Articulated Arm 5/8" Stud
with 1/4"-20 Female Thread & 5/8"
Stud with 3/8"-16 Female Thread

0.42



AM-011

2 Section Double Articulated Arm 5/8"
Hex Pin with 1/4"-20 Female Thread
& 5/8" Pin with 3/8"-16 Female Thread

0.66



AM-012

3 Section Double Articulated Arm 5/8"
Hex Pin with 1/4"-20 Female Thread
& 5/8" Pin with 3/8"-16 Female Thread

0.82



RC-001

Reflector Clamp

1840mm 815mm 0.88



RC-002

Reflector Clamp

1440mm 815mm 0.88



RC-003

Reflector Clamp

1245mm 685mm 0.66



MS-001

Multiple Mount Light Stand
5/8" socket x 1 5/8" stud x 3
Length:50cm, 25x25mm



MS-003

Multiple Mount Light Stand
5/8" socket x 1 5/8" stud x 4
Length:60cm, 25x25mm



MS-004

Multiple Mount Light Stand
5/8" socket x 1 5/8" stud x 5
Length:75cm, 25x25mm



MS-006

Multiple Mount Light Stand
5/8" socket x 5 5/8" stud x 1
Length:75cm, 25x25mm



MS-008

Multiple Mount Light Stand
Length:50.5-73.0cm, 30x30/25x25mm



MS-002

Multiple Mount Light Stand
5/8" socket x 3 5/8" stud x 1
Length:50cm, 25x25mm



MS-005

Multiple Mount Light Stand
5/8" socket x 1 5/8" stud x 5
Length:75cm, 20x40mm



MS-007

Multiple Mount Light Stand
Length:50.5cm, 30x30mm



MS-009

Multiple Mount Light Stand
Length:53.0cm, 20x40mm

