

NINGBO EIMAGE STUDIO EQUIPMENT CO., LTD

Address: No.1230 South Cihai Rd, Luotuo Industry zone, Zhenhai,

Ningbo, China. 315202

Tel:86-574-86590061.86-574-86590031

E-mail: sales@eimagevideo.com

Visit www.eimagevideo.com for more information





2023

PTZ CAMERA SUPPORT


www.eimagevideo.com

PSK01 Tripod Support Kit

Contents

1-3	Tripod Support Kit (PSK01/PSK02/PSK03)
4-5	Dual PTZ Support Kit (PSK04/PSK05)
6-7	Pedestal Support Kit (PSK06/PSK07)
8	Robotic Tracking System Support Kit (PSK08)
9	Tripod Support Kit (PSK09)
10	Jib Arm Support Kit (J-100SK)





Tripod Specifications:


Model	GA230	
Payload	12kg / 26.4lbs	
Net weight	4.8kg / 10.6lbs	
Bowl size	Flat base	
Spigot size	3/8"	

Height range	84-230cm / 33.1-90.6in
Transport length	89cm / 35.0in
Sections	3
Material	Aluminum

^{*} PTZ camera is not included.

PSK02 Tripod Support Kit






Tripod Specifications:

Model	GA752
Payload	40.0kg / 88.0lbs
Net weight	3.4kg / 7.5lbs
Bowl size	75mm

Height range	63.5-157cm / 25.0-61.8in
Transport length	72cm / 28.3in
Sections	3
Material	Aluminum

PSK03 Tripod Support Kit






Tripod Specifications:

Model	GA102
Payload	60kg / 132.0lbs
Net weight	5kg / 11.0lbs
Bowl size	100mm

Height range	47-160cm / 18.5-63.0in
Transport length	74cm / 29.1in
Sections	3
Material	Aluminum

PSK04 Dual PTZ Support Kit






Light Stand Specifications:

Model	RS-860
Payload	10kg / 22.0lbs
Net weight	8.4kg / 18.5lbs
Spigot size	5/8"
Socket size	1-1/8"

Height range	131-220cm / 51.6-86.6in
Transport length	122.5cm / 48.2in
Footprint diameter	110cm / 43.0in
Center tube size	30,35mm
Leg tube size	20x40mm

PSK05 Dual PTZ Support Kit





Light Stand Specifications:


Model	LS-PRO38
Payload range	<3m 6kg, >3m 4kg
Net weight	2.7kg / 5.9lb
Spigot size	1/4" & 3/8"
Leg tube size	22mm

Height range	123-380cm / 48.4-149.6in
Transport length	104cm / 40.9in
Footprint diameter	128cm / 50.4in
Center tube size	20,25,30,35mm



PSK06 Pedestal Support Kit





Pedestal Specifications:

Model	AT7903
Payload	20kg / 44.0lbs
Net weight	15.9kg / 35.0lbs

Dolly	EI-7005
Height range	102-184.5cm / 40.2-72.6in
One-shot stroke	30cm / 11.8in

PSK07 Pedestal Support Kit





1x P6 Quick Release Adapter with Plate



1x 100BF 100mm Bowl to Flat Adapter

Pedestal Specifications:

Model	AT7903	
Payload	20kg / 44.0lbs	
Net weight	15.9kg / 35.0lbs	

1x AT7903 Pedestal

Dolly	EI-7005
Height range	102-184.5cm / 40.2-72.6in
One-shot stroke	30cm / 11.8in

7 IE-IMAGE


PSK08 Robotic Tracking System Support Kit





PSK09 Tripod Support Kit





Tripod Specifications:

Model	GA230	
Payload	12kg / 26.4lbs	
Net weight	4.8kg / 10.6lbs	
Bowl size	Flat Base	

Height range	84-230cm / 33.1-90.6in
Transport length	89cm / 35.0in
Sections	3
Material	Aluminum

J-100SK Jib Arm Support Kit





Jib Arm Specifications:

Model	EJ100S	
Net weight	4.9kg / 10.8lb	
Extend length	220cm / 86.6in	
Carrying length	h 93cm / 36.6in	
Max. tube	4.4cm / 1.7in	
Material	Carbon fiber	

Max. load of camera weight	7kg / 15.4lbs
Product max. payload	15kg / 33.0lbs
Max. working radius	125cm / 49.2in
Focus range	+25° ~ -25°
Tilt range	+20° ~ -20°
Bowl size	75mm